


B&BCERAMICHE

**PRODUCTS
BOOK
2018**



101%
MADE IN ITALY



**Ritorno alla pietra
e alla sua originalità,
in uno spartito di toni
e texture irregolari.**

Back to original stone effect with
a glimpse of irregular texture and tones.

Retour a la pierre et a son originalité
en une vingtaine de tons irréguliers

Poetry Stone

Gres porcellanato smaltato non rettificato
Glazed porcelain tile not rectified



Poetry
Stone

GREY 31x62



**Poetry
Stone**

ANTRACITE 31x62



101% MADE IN ITALY



BEIGE



GREY

Poetry Stone

Gres porcellanato smaltato non rettificato
Glazed porcelain tile not rectified



FUMÈ




ANTRACITE

31x62
12,2"x24,4"
nat

BATTISCOPIA
Skirting
8x62 3"x24,4"



	31x62 12,2"x24,4"	Battiscopa Skirting 8x62 3"x24,4"
FORMATI SIZE	8,5 mm	8,5 mm
FINITURA FINISH	Nat/Matt	Nat/Matt
Scatola Box	Pz/Pc	7
	Mq/SQM	1,43
	Kg	24
Pallet	Sc/Box	60
	Mq/SQM	85,80
	Kg	1454



Merchandising




Merchandising



Espositore 81x81 81x81 tiles Display

Formato piastrelle: 81x81 cm
Tile size: 32"x32"

Articoli/Items:
Unika Dark - Unika Grey
Urban Dark Grey - Urban Light



Espositore 8 piastrelle 8 tiles Display

Formato piastrelle:
60x60 cm / 60x90 cm / 81x81 cm
Tile size: 24"x24" / 24"x36" / 32"x32"

Articoli/Items:
Main Street 60x60/ 60x90
Unika 81x81



Espositore 14 piastrelle 14 tiles display

Formato piastrelle: 62x62 cm
Tile size: 24"x24"

Articoli/Items:
Pianeti - Neo - Soft - Urban



Espositore Essenze Essenze Display

Formato piastrelle:
20x120 cm
Tile size: 8"x48"



Espositore Poetry Stone Poetry Stone Display

Formato piastrelle:
30x60 cm
Tile size: 12"x24"



Espositore Neo Neo Display

Formato piastrelle:
60x60 cm / 30x60 cm
Tile size: 24"x24" / 12"x24"



Espositore Home Space Home Space Display

Formato piastrelle:
60x60 cm
Tile size: 24"x24"




Espositore Main Street Main Street Display

Formato piastrelle:
60x60 cm / 30x60 cm
Multisize (5x60 - 10x60 - 15x60 cm)
Mosico 30x30 cm (5x5 cm)
Tile size: 24"x24" / 12"x24"
Multisize (2"x24" - 4"x24" - 6"x24")
Mosaic 12"x12" (2"x2")



Espositore Unika Unika Display

Formato piastrelle:
60x60 cm / 30x60 cm
Multisize (5x60 - 10x60 - 15x60 cm)
Mosico 30x30 cm (5x5 cm)
Tile size: 24"x24" / 12"x24"
Multisize (2"x24" - 4"x24" - 6"x24")
Mosaic 12"x12" (2"x2")



Consigli per la posa

Suggestions for laying

ITA

Le caratteristiche tecniche di grande adattabilità e versatilità rendono il gres porcellanato funzionale a svariate destinazioni d'uso. La posa può avvenire sia con malta cementizia che con collante. Tuttavia, le sue stesse caratteristiche vedono un diffuso ricorso all'uso dei collanti che consentono maggiore adesione ed elasticità e sono garanzia di maggiore resistenza meccanica del pavimento stesso.

Oltre alla posa tradizionale, il gres porcellanato si presta con successo alla posa su sottofondi riscaldanti e rappresenta una superficie ampiamente utilizzata per la realizzazione di pavimenti sopraelevati. In fase di posa in opera, sia con malta che con colla, si consiglia l'osservanza di giunti, ovvero il ricorso ad una fuga di almeno 3 mm tra le piastrelle. Le nostre piastrelle in gres porcellanato sono protette superficialmente per preservarne il pregio estetico durante le operazioni di posa in opera e, quando necessario, di finitura degli ambienti prima della loro entrata in servizio.

La protezione è completamente asportabile insieme ai residui di sudiciume dovuti alle operazioni di posa mediante l'uso di prodotti specifici purché vengano seguite le istruzioni indicate sui prodotti stessi e non vengano utilizzati altri detergenti/agenti chimici/pulitori prima o insieme all'applicazione dei prodotti indicati e che ne possano pregiudicare l'efficacia.

Eventuali incrostazioni dovute ad adesivi o a stucchi impiegati per la posa devono essere rimosse mediante prodotti o procedure indicate dai fornitori di tali prodotti, in quanto a noi non noti a priori e, comunque ed in generale, dopo la rimozione della protezione applicata sulle nostre piastrelle.

Nessuna nostra responsabilità sull'uso improprio di tali prodotti e su loro interazioni con le nostre protezioni superficiali, tali da comprometterne l'efficacia ed il ripristino dell'estetica originaria della superficie di esercizio.

ENG

Its technical features, adaptability and versatility make the porcelain stoneware suitable for many different purposes.

Laying may be by either using cement mortar or glue. However, its own features suggest a wider use of glue which provides more adhesion and elasticity and guarantees greater mechanical strength of the paving. More than traditional paving porcelain stoneware is successful also when laid on heating backgrounds and represents an enlarged useful material when laid on raised flooring.

In the laying step, both with cement and glue, it's recommended the observance of the joints, that is the recourse to a leak of at least 3 mm between the tiles.

Our porcelain stoneware tiles...come with a protective coating on the surface to preserve their beauty during the process of laying the tile and, when necessary, finishing the rooms before they enter into use.

The protective coating can be completely removed, along with any grimy residue from laying, by using suitable products, taking care to follow the instructions given on the products and to use no other detergents/chemical agents/cleaners before or during the application of such products that could reduce their effectiveness.

Any encrusted residue from stickers or grout used for laying the tile should be removed by using the products or procedures recommended by the suppliers of such products (since we cannot know in advance what they are), and generally speaking, after removing the protective coating from our tiles.

We shall accept no responsibility for improper use of these products or interactions with our protective coatings that could compromise the performance and original look of the surface.



B&B Ceramiche s.r.l.

Via A. Corradini, 13
42048 Rubiera (RE) - Italy
tel. e fax +39 0522 1756015
info@bebceramiche.eu
www.bebceramiche.eu

=====
Campionatura gratuita
di modico valore
ai sensi del DPR 633/72
e successive modifiche art. 2.

© gennaio 2018

credits
design + ambientazioni

A+ ATIPICA
creative studio
www.atipica.eu

art direction
Michele Capuano

ITA

Le informazioni contenute nel presente catalogo sono il più possibile esatte, ma non sono da ritenersi legalmente vincolanti. Per esigenze di produzione l'Azienda si riserva il diritto di apportare eventuali modifiche che si rendessero necessarie. Peso, colori e misure sono soggetti alle inevitabili variazioni tipiche del processo di cottura della ceramica. I colori si avvicinano il più possibile a quelli reali nei limiti consentiti dai processi di stampa.

ENG

The information contained in this catalogue is as accurate as possible, but cannot be considered as legally binding. The Company reserves the right to make any modifications that become necessary due to production requirements. Weight, colours and dimensions are subject to the inevitable variation typical of the ceramic firing process. The colours are possible to the actual colours, within the limits allowed by the printing process.

FR

Les informations contenues dans ce catalogue sont aussi précises que possible, mais ils ne doivent pas être considérés comme juridiquement contraignants. Pour les besoins de production La Société se réserve le droit d'apporter tout changement qui pourrait survenir nécessaire. Le poids, les couleurs et les tailles sont soumis à des variations inévitables typique du processus de cuisson en céramique. Les couleurs sont plus proches possible aux vrais dans les limites permises par les processus d'impression.